

INDEX

- accumulation point, 544
- additivity, 248
- adjoint
 - formal, 482
 - Lagrange, 482
- affine mappings, 55, 62, 249, 683, 723, 728
 - composition of, 726
 - preserves parallelism, 204, 723
 - product, 726
- affine space, 203, 204
 - parallel subsets, 204, 723
 - point, 203
 - subspace, 202-204, 209, 211, 239, 723
 - intersection, 204, 210
 - linear variety, 202
- aliasing, 430-433
- alphabet, 533
- angle, 383
- angular momentum, 196
 - eigenfunctions, 685, 690
 - eigenvectors, 619
 - operator, 147
 - orbital, 645
 - spin, 645
- annihilation operator, 266, 269, 504
 - adjoint, 480
- annihilator, 347
 - of a subspace, 202, 347
 - null space of a linear mapping, 475
- antilinear functional, *see* functional, antilinear
- approximation, 2
 - best, *see* best approximation
 - Chebyshev, 421, 582
 - discrete Chebyshev, 421
 - global, 417
 - local, 417
 - maximum deviation, 582-585
 - numerical, 2
 - polynomial fit, 521
 - staircase, 101
 - Weierstraß theorem, 550, 582, 610, 738
- array, 61, 64, 77-79, 195, 250, 251
 - multidimensional, 64
 - storage order, 195
 - in C, 64, 65, 230
 - in FORTRAN, 64, 65, 230
- ASCII code, 17, 19
 - end of line conventions, 19
- autoregressive process, 291, 298
- backward differences, *see* difference operator, backward
- Banach space, 594, 614
 - separable, 549
- Banach, Stefan, 595
- band-limited signals, 435, 436
- basis, 193, 221, 223, 233
 - biorthogonal, 341, 460
 - canonical, 195, 226, 617
 - $\mathbb{F}^{m \times n}$, 226
 - \mathbb{F}^{n*} , 336
 - \mathbb{R}^n and \mathbb{C}^n , 226
 - sequence spaces, 226
 - change of, 274-277, 389
 - discrete Fourier, 425
 - inner products, 434
 - dual, 336

- eigenvectors, 496
- Hamel, 223, 238
- orthogonal, 381, 382, 408
- orthonormal, 392, 394, 410, 417, 496, 513
- permutation of, 229, 277
- plural of basis, 222
- Schauder, 222, 226
- standard, 226
- vectors, 222
- Bessel functions, 210, 684, 686, 690, 692
 - asymptotic form for small argument, 715
 - Bessel's integral, 693, 695
 - completeness relation, 716
 - definition, 690
 - derivative
 - zeros, 704
 - first kind, 692
 - generating function, 694
 - Graf's addition theorem, 696
 - lowering operator, 700
 - raising operator, 700
 - recurrence relations, 698
 - special values, 693
 - zeros, 704
- Bessel's identity, 418
- Bessel's inequality, 419, 601
- best approximations, 581
 - equal-ripple property, 584, 589, 590
 - in maximum norm, 581
 - in supremum norm, 581
 - minimax property, 583
 - polynomial of, 582–584, 587, 590
 - Remes' method, 590
 - to a function, 417, 538
 - to a vector, 407
 - using Fourier functions, 420
- bias, *see* integers, representations of
- biased integers, *see* integers, biased
- bijection, *see* mapping, bijective
- binomial coefficient, 80
- binomial theorem, 81
- biorthogonality, 344
- birefringence, 257
- bit, 6
- Bloch's theorem, 665
- Bolzano-Weierstraß theorem, 556, 596
- boundary conditions, 106
 - bilinear concomitant, 481, 482
 - boundary functional, 481, 482, 705
 - Dirichlet, 193, 653, 659, 660, 705
 - homogeneous, 193, 227
 - mixed, 193, 660, 661
 - Neumann, 193, 707
 - periodic, 138, 661
- Bunyakovsky inequality, 387
- byte, 6
 - most significant, 10
 - ordering, 10
- C, 64, 65, 92, 119
- cancellation of significant digits, 15, 35, 86–88, 91, 92, 98, 261, 375, 381
- canonical form, 369
- Cantor, Georg, 47, 76, 77, 80
- Cauchy inequality, 387
- Cauchy-Schwarz-Bunyakovsky inequality, 385, 387, 390, 418, 682
- Cayley's theorem, 167, 168
- Cayley, Arthur, 121
- chain, 83, 84
 - comparability of elements, 83
 - maximal, 84
- chaotic phenomena, 24
- characteristic functions, 607
- characters, 17
- charge conjugation, 128
- Chebyshev abscissae, 401, 586
- Chebyshev, P. L., 537
- chord, 211
- coherent state, 505
- commutative diagram, 58, 59, 156, 165
- commutative law, 125, 207
 - failure in matrix groups, 125
- completeness, 419, 549, 687
 - relation, 409, 650, 677, 678, 716
 - Bessel functions, 718
 - Helmholtz functions, 717
- computation, 1
 - approximation theory, *see* approximation
 - basis vectors, 222, 235, 239
 - range of a matrix, 258, 259, 318, 508, 510
 - binary-to-decimal conversion, 34
 - computational grid, 1, 100
 - computational resolution, 1
 - computational speed, 1
 - condition number, 86, 87, 90, 518
 - linear-equation problem, 517
 - contravariant components, 236–238, 381
 - discrete Fourier transform, 427

- dyads, 469, 471
- evaluation of functions, 86
- finite-precision arithmetic, 24
- floating-point, 31
 - addition, 35, 95
 - division, 35, 94
 - failure of associative law, 35
 - machine epsilon, 32, 33, 35, 36, 87, 96
 - multiplication, 35
 - overflow, 30
 - relative error, 35
 - subtraction, 35
- forward elimination
 - operation count, 322
- ill-conditioned problem, 87, 89–91
- inner product
 - error, 376
- inner products, 375
- inner-product norm, 443
- instability, 112
- integer
 - overflow, 11, 177
- interpolation, *see* interpolation
- iterative, 92, 99
 - square root, 99
- matrix
 - column rank, 257, 258
 - condition number, 517, 518
 - eigenvalues, 495
 - null space, 319, 511
 - using dyads, 469, 471
- matrix inverse, 273
 - determinantal formula, 306
 - SVD, 512
- matrix norm, 451
 - Frobenius, 452
- matrix product
 - dependence on loop order, 262, 263
 - using dyads, 471
- matrix-vector product, 255, 475
- Newton's backward formula, 297
- Newton's forward formula, 295, 296
- numerical integration, 99–106, 108
 - centered rectangle rule, 100, 102–106
 - Gaussian quadrature, 100
 - left-hand rectangle rule, 101, 108
 - Newton-Cotes formulas, 296
 - panel, 100–103, 105, 106, 112
 - polynomial integrand, 106
 - rectangle rule, 100–106, 108
 - right-hand rectangle rule, 100, 101, 103, 105, 106
 - Simpson's rule, 100, 105, 106, 296
 - sinusoidal input, 106
 - staircase approximation, 100
 - trapezoidal rule, 100, 102, 104–106, 296
- operation count, 317
- polynomial evaluation, 87
- polynomial of best approximation, 588
- product of matrices, 261, 262
- reciprocal approximation, 95, 99
- recursive, 92, 93, 95, 96, 99, 100, 108, 112
- root finding, 88
 - bisection, 92
 - deflation, 90
 - Newton-Raphson method, 92–95
- rounding, 32, 220
 - error, 33, 34, 96
 - to even, 33
 - to nearest, 33, 39
 - truncation, 33
 - up, 33
- series, 95, 98
 - evaluation of, 95, 98
 - Kahan's formula, 97–99
 - natural order, 95
 - reverse order, 96
 - stride in memory, 64
- computer memory, *see* memory
- condensation point, 544
- condition
 - necessary, 50
 - necessary and sufficient, 50
 - sufficient, 50
- conic section, 501
- conservation of momentum, 204
 - translation invariance and, 205
- continuity, 577
 - continuous image of a compact set, 579
 - continuous image of a convergent sequence, 578
 - continuous image of an open set, 580
 - on a set, 578
 - pointwise, 577, 578
 - uniform, 580
 - implies continuity, 580
- contrapositive, 70, 72
- contravariant components, *see* vector, compo-

- nents
- convergence, 532
 - absolute, 564
 - functional series, 575
 - numerical series, 564
 - vector series, 568
 - Bolzano-Cauchy condition, 556, 567, 569
 - Newton-Raphson method, 93, 94
 - non-absolute, 564, 606
 - of a sequence, 553
 - orthogonal series, 599
 - pointwise, 553
 - functional sequence, 572
 - functional series, 575
 - operator sequence, 571
 - strong, 566, 567
 - orthogonal series, 599
 - vector series, 567
 - to a limit, 553
 - uniform, 569, 572, 574
 - function sequence, 572
 - operator sequence, 571
 - series of functions, 576
- converse, 50
- convolution, 332, 739
 - continuous, 739
 - discrete, 289
- coordinates, 222
 - axes, 222
 - coordinate expansion, 226, 238, 241, 243
 - of a vector, 222
 - system of
 - left-handed, 304
 - negatively oriented, 441
 - oblique, 231
 - orientation, 441
 - positively oriented, 441
 - right-handed, 304
 - transformation
 - active, 727
 - covariance under, 654
 - passive, 727
- covariant components, *see* vector, components
- Cramer's rule, 273, 312
- creation operator, 266, 269
 - adjoint, 480
- crystal lattice, 341
 - one-dimensional, 137
 - periodic potential, 663
 - period, 137
 - plane, 342
 - point, 137
 - scattering from, 341
 - Laue conditions, 343
 - unit cell, 342
- cylinder function, 687
- data streams, 198
- De Morgan's laws, 208
- decimal fraction, 79
- Dedekind-Peirce corollary, 72, 76
- definition, 50
 - recursive, 58, 74, 75, 81
- delta, 536
 - "function", 331, 536
 - orthonormalization, 678
 - functional, 331, 350, 453, 536, 650, 677, 679
 - in boundary conditions, 350
- DeMorgan's laws, 71, 545
- density of scatterers, 343
- derivative, 107
 - elementary definition of, 107
 - of a product, 81
 - Leibniz's formula, 81, 528
- determinant, 125, 217, 218
 - 3×3 matrix, 310
 - antisymmetry of, 301
 - as a volume ratio, 440
 - cofactor, 305
 - cofactor expansion, 305
 - generalized Gram, 352
 - Gram, 375
 - Jacobian, 441, 689
 - Laplace expansion, 305
 - Laplace expansion of, 305
 - minor, 306
 - of a matrix product, 303
 - of a nonsingular matrix, 303
 - of a permutation matrix, 310
 - of a singular matrix, 302
 - of a square matrix, 300
 - of a transposed matrix, 300
 - of an inverse matrix, 304
 - of similar matrices, 304
 - Vandermonde, 172, 307, 351, 526, 527, 585
- dictionary order, 12
- dielectric permittivity
 - matrix, 256

- tensor, 353, 500
- difference equation, 93–96, 99, 108, 109, 112–117, 141
 - n -cycle, 141
 - linear, 523
 - constant coefficients, 523
- difference operator, 292
 - backward, 297, 298
 - k^{th} order, 297
 - forward, 292, 298
 - k^{th} order, 292
 - 2nd order, 292
 - null space, 293, 294
 - noise amplification factor, 293
- differential equations, 106, 109, 112, 118
 - Bessel, 210, 701
 - boundary-value problem, 106
 - Chebyshev, 210
 - computed solution of, 108, 114
 - difference-equation approximation, 108
 - first-order, 107, 108
 - homogeneous, 329
 - in mathematical physics, 106
 - initial conditions, 107, 118
 - initial-value problem, 106, 107, 118
 - Legendre, 210
 - numerical solution, *see* finite-difference method
 - order, 106
 - particular solution, 329
 - second-order, 107
 - solution space, 200
 - symmetry under a group, 652
 - system of
 - equivalence to second-order differential equation, 107
 - first-order, 107
- digital filter, 288, 289, 627, 665
 - antisymmetric, 290
 - autoregressive, 291, 298
 - centered moving average, 289, 666
 - differentiating, 290, 299
 - straight-line, 290, 299
 - noise amplification, 291, 292
 - non-recursive, 288, 289, 665
 - numerical integration, 290
 - recursive, 290, 667
 - causal, 290
 - shift invariant, 663
 - shift-invariant, 627, 664
 - straight-line differentiating, 299
 - symmetric, 290
 - window, 289
- dipole interaction energy, 331
- Dirac delta functional, *see* delta functional
- Dirac's comb, 651, 679
- discriminant, 91
- distance, 206, 417, 533
 - between sets, 533
 - from a point to a set, 533
- divisors of zero, 178
 - proper, 178
- dual space, *see* vector space, dual of
- dyad, 415, 466, 505
 - basis-coordinate-functional, 469
 - dyadic expansions, 469
 - norm, 473
 - transpose of, 475
- eigenfunction, 709
 - expansion, 515
 - momentum, 671, 680, 690
- eigenvalue, 493
 - degeneracy, 493, 494, 627, 628
 - eigensubspaces, 494, 496, 503, 628
 - orthogonal, 496
 - multiplicity
 - algebraic, 494
 - geometrical, 493
- eigenvector, 493
 - annihilation operator, 505
 - degenerate, 627
 - eigenvector-eigenvalue equation, 497
 - group-invariant operator, 627
 - normal matrix, 504
- Eightfold Way, 122
- Einstein summation convention, 224, 251
- electric energy density, 353
- electromagnetic field tensor, 357, 491
 - adjoint, 491
- elevation, 406
- ellipsoid, 501
- end of line conventions, *see* ASCII code, end of line conventions
- equality, 66
- equation of a plane, in terms of a linear functional, 334
- equivalence class, 66, 77, 133, 139, 149, 176, 181, 185
 - representative, 66

- equivalence relation, 65–67, 82, 132, 148, 157
- error
 - absolute, 31
 - global, 99, 103, 104
 - local, 99, 101, 103, 104, 106, 109, 119
 - propagation, 37–39
 - relative, 31, 38, 98
- exclusive “or”, 70
- expected value, 37
- Fermat’s theorem, 186
- field, 184, 189, 194, 248
 - algebraically closed, 493
 - electric, 355
 - embedded, 186
 - finite, 186–188, 220
 - four-element, 187, 209, 220
 - two-element, 187
 - Galois, 186–188, 206, 209, 220, 238
 - isomorphism, 185
 - prime, 188, 189, 209, 220, 238
 - rational numbers, 206
 - real numbers, 185, 206
 - subfield, 185
- finite induction, 73, 74, 80, 81, 92, 170, 186
- finite-difference method, 108–112, 115, 118, 119, 524
 - as digital filter, 290
 - backward Euler method, 115, 116, 119
 - characteristic equation, 113–115, 525
 - characteristic roots, 113–118, 525
 - degenerate, 526, 527
 - non-degenerate, 526
 - corrector, 117
 - Euler’s method, 102, 108–113, 115, 119, 667
 - explicit, 108, 117
 - global truncation error, 110, 111
 - implicit, 109, 115, 117
 - initial conditions, 108
 - instability, 112, 114
 - linearized test problem, 109, 115–117, 119
 - local phase error, 119
 - local truncation error, 119
 - midpoint method, 112–115, 117–119
 - midpoint-trapezoidal method, 117–119
 - multistep, 113–115
 - one-step, 113–116
 - parasitic roots, 113–115, 117
 - phase error, 119
 - predictor, 117
 - predictor-corrector, 117–119
 - principal characteristic root, 113–117, 119
 - region of absolute stability, 115–118
 - region of stability, 111
 - rounding error, 109, 110, 116
 - sampling points, 108
 - stability, 111, 114
 - absolute, 115–117
 - stability analysis, 111
 - test problem, 116
 - stability criterion, 111
 - step size, 100, 108–110
 - choice of, 110, 111
 - trapezoidal method, 116–119
 - two-step, 113–115
 - weak instability, 114, 115
- fixed-point representation, 14
 - minimum positive number in, 15
- flavor $SU(3)$, 122
- floating-point representation, 15, 16
 - base- β , 20, 22, 23, 33, 150, 185
 - binary, 16
 - denormalized numbers, 28
 - double precision, 25, 27, 96–99, 424
 - accuracy of, 27
 - exponent range, 27
 - exponent of, 16, 19, 21–23
 - finite, 21
- floating-point numbers, 16
 - maximum, 22
 - minimum, 22
 - number of, 24
 - repeating, 20
 - unnormalizable, 22
 - zero, 23
- hexadecimal, 17
- IEEE-754, 25, 375
 - double precision, 27
 - Inf, 29
 - Infinity, 23, 29
 - NaN, 27, 29
 - single precision, 26
- mantissa, 21
- normalized, 21
- octal, 17
- precision of, 21, 25
- radix point, 15
- significand of, 21
- single precision, 25, 99, 424

- accuracy of, 26
 - exponent range, 26
- ternary, 16
- toy, 22–24, 28
- underflow in, 22
- wobble, 32
- fluctuation of a random variable, 37
- FORTRAN, 51, 64, 65, 92, 97, 119
- Fourier coefficients, 420, 422, 434, 603, 690
 - approximate evaluation, 425
 - even function, 603
 - real-valued function, 603
- Fourier series, *see* series, Fourier
- Fourier sums, 209
- Fourier transform, 676–678, 716, 717
 - discrete, 427, 433, 434
 - inverse, 427
 - fast, 428
 - inversion formula, 677, 678, 717
- fractional part of a number, 4
- fractions, 66
- frequency modulation, 694
- Fréchet space, 594, 614
- Fréchet, Maurice, 532
- functional analysis, 332
- functionals, 570
 - antilinear, 333
 - bilinear, 353
 - boundary, 481
 - coordinate, 351, 459
 - linear, 332, 477
 - and inner products, 455
 - annihilation of, 347
 - as a row vector, 333
 - continuous, 333
 - dot-product, 332
 - null, 333
 - range, 334
- functions, 53, 55
 - bounded support, 546
 - compact support, 556
 - infinitely differentiable, 556
 - composite, 466
 - even, 603
 - Fourier, 403, 417, 581
 - discrete, 403
 - grating, 666
 - Helmholtz, 697
 - jump discontinuity, 606, 607, 610, 613
 - limit
 - differentiability, 574, 575
 - limit function
 - integral of, 574
 - odd, 604
 - orthogonal, 398
 - periodic extension, 428, 429
 - piecewise continuous, 606, 610, 613
 - piecewise smooth, 607
 - place-holder notation for, 55
 - rapidly decreasing, 536, 538, 566, 676, 678, 681
 - restriction of, 55
 - rotated, 156
 - sign, 300
 - support, 546
 - bounded, 546
 - compact, 536, 556
 - symmetry-adapted, 618, 619, 652
 - transformed, 156, 171
 - turning point, 703
 - value of, 55
- fundamental theorem
 - affine geometry, 725
 - algebra, 89, 493, 526
 - linear algebra, 512
- G -adapted functions, 619
- G -set, 130, 132, 133, 152, 155, 157, 616, 618
 - orbit, 132, 133, 135, 148, 152
- Galilean transformation, 729
- Galois, Évariste, 121, 160, 186
- Gaussian elimination, *see* linear equations, Gaussian elimination
- Gell-Mann, Murray, 122
- Gibbs' phenomenon, 608, 610
 - in Fourier series, 608
 - in Legendre series, 613
 - in orthogonal series, 613
- global symmetry, 688
- Gram-Schmidt construction, 394, 397, 398, 403, 405, 406, 496, 497, 597, 598, 610
- Gramian, 375
- great orthogonality theorem, 635
- greatest lower bound, *see* set, infimum
- group representations, 616
 - carrier space, 157, 172, 192, 616, 617, 622
 - $SO(2)$, 648
 - character, 624
 - tables, 642

- characters
 - orthogonality relations, 636
 - product relation, 638
- class-sum matrices, 638
- equivalent, 623
- faithful, 157, 616
- finite-dimensional, 630
- fully reducible, 641
- G -invariant subspace, 622, 626, 640
 - proper, 622
- identity representation, 154
- infinite-dimensional, 630
- irreducible, 155, 619, 622
 - $SO(2)$, 648
 - character, 624, 625
 - finite Abelian group, 638
 - number of, 636
- irreducible characters
 - D_3 , 625
 - product relation, 638
- irreducible components of, 641
- Kronecker product
 - characters, 644
- matrix, 121, 122, 154, 616, 617
 - dimension, 616
- n -dimensional, 154
- operator representation, 155, 156, 171, 173, 618
- partner function, 619, 628
- partner space, 619
- property, 618
- reducible, 621
 - character, 642
- symmetric group
 - sign, 172, 173
- unitary, 630, 631
 - reduction of, 640
- groups, 121, 122, 618
 - Abelian, 125, 126, 141, 149, 160, 163, 175, 185, 187, 188, 193
 - additive, 123, 124, 126, 175
 - vectors, 124
 - alternating, 173
 - associative law, 123, 126
 - associativity axiom, 123
 - axioms, 122
 - C_2 , 123, 127, 128, 135, 142, 148, 154, 164
 - C_3 , 135, 142, 148, 187
 - C_4 , 139, 148
 - C_6 , 164
 - cancellation law, 127, 178, 181
 - character, *see* group representation, character
 - class, 148, 174, 636
 - closure axiom, 122
 - C_n , 137, 138
 - commutative, *see* group, Abelian
 - compact, 145
 - conjugacy class, *see* class
 - conjugacy mapping, 132, 175, 638
 - continuous, 143, 144, 688
 - coset, 133, 134, 161, 164, 172
 - identity, 161
 - left, 133, 134
 - multiplication, 161
 - right, 133, 134
 - vector subspace, 133, 202
 - cubic, 143
 - cyclic, 136, 138, 141, 151, 169
 - infinite, 136, 143
 - D_2 , 141, 148, 151, 163, 168, 171
 - D_3 , 142, 148, 151, 155, 160, 161, 164, 168, 172
 - D_4 , 143, 152
 - dihedral, 141, 151
 - direct product, 162, 163
 - direct factors, 162
 - D_n , 142
 - elements
 - conjugacy of, 147, 148
 - conjugate, 147, 625
 - order of, 137
 - powers, 135, 151
 - finite, 123, 630
 - four-element, 138
 - G/H , 161
 - generators, 128, 137
 - homomorphism, 152–154, 156, 157, 161, 164, 167, 617
 - identity, 153
 - kernel, 158, 160, 161, 164, 183
 - homomorphism law, 153, 157, 171, 617, 618
 - identity, 123, 126, 130, 175
 - axiom, 123
 - left or right, 123, 126
 - multiplicative, 175
 - uniqueness of, 127

- infinite, 123
 - cyclic, 136
- inner product, 633
- inverse, 123
 - additive, 124, 182
 - axiom, 123
 - left or right, 123, 126
 - multiplicative, 177
 - of product, 127
 - uniqueness, 127
- isomorphism, 157, 158, 164, 167
- multiples of n , 76, 124
- multiplication table, 127, 128, 135, 139, 141, 142, 151, 152, 164
- multiplicative, 123
- non-Abelian, 125, 142, 160
- nonassociative function, 126
- numerical, 123
- octahedral, 123, 143, 144, 148, 149, 162
- of a polynomial, 171
- one-element, 123
- order of, 123
- parity, 128
- permutation, 166
 - cyclic subgroup, 169
- quotient group, 160, 161
- rearrangement theorem, 167, 174, 630, 634
- rotation, 145
- S_3 , 160, 168, 172
- S_4 , 168
- S_n , 160, 166, 168, 171, 172
- subgroup, 129, 130, 134, 151, 152, 160, 161, 202
 - cyclic, 169
 - identity, 130
 - invariant, 160
 - normal, 158, 160, 161, 163, 164, 172, 173, 684, 729
 - normal, Abelian, 685
 - proper, 129
 - rotational, 683
- symmetric, 160, 164, 166, 167, 629
- tetrahedral, 143, 148
- three-element, 135, 188
- translation, 202, 203, 723
 - discrete, 662
 - eigenfunctions, 672
 - in Euclidean n -space, 673
 - invariance of a norm, 534–537, 539
 - matrix realization of, 278
 - of \mathbb{R} , 669
 - of a set of vectors, 203
 - of a vector space, 203
 - on a vector space, 203
 - two-element, 123, 127, 128, 154, 155, 163
 - V (Vierergruppe), 139, 151, 164
 - Vierergruppe, 141, 151
- Gruppenpest, 121
- Hamilton's equation, 205
- Hamming distance, 533
- Hankel transform, 717
 - inversion formula, 718
- harmonic oscillator, 191
 - quantum-mechanical, 265, 269
- Heisenberg, W., 232
- Helmholtz equation, 191, 192, 674, 686, 702, 712
 - homogeneous, 191, 192
 - inhomogeneous, 688
 - n -dimensional, 726
 - symmetries of, 687
- Hilbert space, 595, 709
 - complete orthonormal set, 597
 - separable, 532, 541, 549, 595, 597
 - subspace, 595
- Hilbert's hotel, 81, 286
- Hilbert, David, 76
- homogeneity, 248
- Hubble Space Telescope, 1
- hyperboloid, 502
- hyperellipsoid, 499, 502
- hyperplane, 226
- ideal, *see* ring, ideal
- identical particles, 62, 628
 - occupancy of a state, 62
- IEEE-754, *see* floating-point representation, IEEE-754
- if and only if, 50
- image under a mapping, *see* mapping, image
- implication, 50–52, 72
- impulse, 217
 - response, 289, 682
 - unit, 217, 288, 289
- independence of orthogonality and complementarity, 416
- induction, *see* finite induction
- Inf, *see* floating-point number, Inf

- initial conditions, 107, 109, 114, 120
- initial-value problem, 106
- inner product, 367, 476, 631
 - as a linear functional, 477
 - axioms, 367
 - bilinear, 368
 - canonical
 - \mathbb{C} , 369
 - \mathbb{C}^n , 370
 - $\mathbb{C}^{n \times m}$, 371
 - \mathbb{R}^n , 370
 - $\mathbb{R}^{n \times m}$, 371
 - ℓ^2 , 376
 - \mathcal{C}^0 , 376
 - \mathcal{L}_w^2 , 377
 - non-uniformly sampled functions, 378
 - uniformly sampled functions, 377, 403
- Chebyshev polynomials, 401, 402
- defined by a basis and a Gram matrix, 374
- discrete, 377, 402, 404
 - Chebyshev polynomials, 402
 - functions, 377, 402, 404
- dot product, 370, 383, 389
- Gram matrix, 388
- Hermitian, 368
- in terms of covariant and contravariant components, 388
- indefinite, 374
- matrix
 - Pauli, 371
- notation, 369
 - Dirac, 465
 - dot product, 370
- on the unit sphere, 398
- Pauli matrices, 371, 382
- positive definite, 374
- positive semi-definite, 374
- positive-definite, 374
- positive-semidefinite, 374
- relativistic, 378
- sesquilinear, 368
- signature, 499
- special relativity, 378
- symmetric, 368
- weight function, 199
 - Chebyshev, 401
- inner-product space, 368
 - complex, 368
 - pseudo-Euclidean, 378, 379, 392, 490, 730
 - pseudo-orthonormal basis, 392, 730
 - pseudo-unit vectors, 732
 - pseudo-unitary, 378, 392, 490, 495, 730
 - real, 368
- instantaneous frequency, 694
- integer part of a number, 4
 - ceiling function, 4
 - floor function, 4
- integers, 3, 52, 76, 81
 - congruence, 13
 - modulo n , 139, 140
 - even, 66
 - modulo n , 139
 - addition, 140
 - modulo 2^m , 13, 176
 - odd, 66
 - positive, 72
 - proper divisors of zero, 14
 - representations of
 - base- β , 3, 14, 20
 - base-60, 15
 - biased, 12, 13
 - positional, 3
 - Roman, 3
 - sign-magnitude, 11, 12
 - signed, 13
 - signed infinity, 23
 - two's complement, 13, 14, 20, 30, 141, 176, 178
 - unsigned, 8
 - unsigned, 4-bit, 9
- integral domain, 178, 181, 184, 186, 189
- integral equation, 108
- interpolation, 351, 417
 - Lagrangian, 268, 351, 352, 584, 589
 - linear, 268
 - polynomial, 296–298, 308, 350
 - polynomial remainder term, 733, 735
 - spline, 268
- interval, 77
 - closed, 77, 78, 547
 - open, 50, 71, 539
- inverse matrix, *see* matrix, inverse
- isosceles triangle, symmetry of, 130
- isospin, 232
- Jacobi-Anger expansion, 692, 694
- Kahan, W., 96
- kinetic energy, 501

- rotating rigid body, 374
- Kronecker delta, 38, 226
- Kronecker, Leopold, 76
- Lagrange's theorem, 134, 173, 187
- Laplace's equation, 106, 647, 686
- law of cosines, 389
- least squares, 41, 44, 381, 418, 419, 421, *see*
 - approximation, least squares, 521, 581
 - best-fit parameters, 522
 - design matrix, 521
 - linear, 521
 - normal equations, 45, 523
 - observation vector, 521
 - parameters, 521
 - residual vector, 522
 - singularity of, 523
 - using Chebyshev polynomials, 421
 - using monomials, 424
- least upper bound, *see* set, supremum
- least-squares fit, *see* approximation, least squares
- Lebesgue integral, 199
- length, 383, 443, 444
 - in Euclidean or unitary space, 374
- Lie groups, 121, 145, 630
 - compact, 630, 631, 698
 - density function, 648
 - $E(2)$, 682
 - $E(3)$, 192, 696
 - element continuously connected to the identity, 688
 - Euclidean, 192, 630, 682, 683, 696, 698
 - n -dimensional, 726
 - translational subgroup, 683
 - general linear group, 232, 278, 490, 617
 - conjugacy class, 280
 - $GL(2, \mathbb{R})$, 124, 125, 143, 145
 - infinitesimal generator, 146, 147, 650
 - Lorentz, 630, 658, 698
 - inhomogeneous, 683
 - matrix, 124, 617
 - 2×2 , 124–126, 143, 145, 146, 151
 - noncompact, 145, 630, 698
 - orthogonal ($O(n)$), 232, 490
 - parametrization, 143–145
 - Poincaré, 249, 683, 698
 - semisimple, 684
 - $SO(2, \mathbb{R})$, 144–146
 - $SO(3, \mathbb{R})$, 144, 145, 148, 149
 - conjugacy class, 149
 - special linear ($SL(n, \mathbb{R})$ and $SL(n, \mathbb{C})$), 232
 - special orthogonal ($SO(n)$), 232
 - special unitary ($SU(n)$), 232, 619
 - $SU(2)$, 192, 383, 619
 - $SU(3)$, 192
 - symplectic ($Sp(n)$), 232
 - translation-rotation, 683
 - unitary ($U(n)$), 232, 490
- Lie, Sophus, 121
- line, 226
- linear dependence, 212, 213, 216
 - computational, 220
 - criterion for, 213, 217, 239
 - monomials, approximate, 589
 - test for, 213
- linear equations, 193, 310
 - back-substitution, 237, 313, 317, 322
 - coefficient matrix, 310
 - nonsingular, 312
 - condition number, 517
 - forward-substitution, 322
 - Gaussian elimination, 230, 232, 234, 237, 257, 258, 267, 307, 312, 314, 529
 - multiplier matrix, 314
 - operation count, 317, 322, 323
 - pivot, 233, 235, 312
 - homogeneous, 311
 - ill-conditioned system of, 307
 - inconsistent, 311
 - inverse problem, 267, 310, 514
 - overdetermined, 216, 311, 522
 - residual vector, 311, 519
 - solution vector, 310
 - system of, 202, 214, 216, 229, 236, 237, 255, 269, 307, 310
 - tridiagonal system, 529
 - underdetermined, 311
 - well-conditioned solution, 517
- linear form, 332
- linear independence, 211, 216
 - $\sin mx$ and $\cos mx$, 213
 - linearly independent set, 218
 - monomials, 220
- linear manifold, 595
- linear mappings, 228, 248
 - adjoint
 - dyadic expansion, 484
 - linearity of, 483
 - null space, 484

- range, 484
- adjoint of, 473, 476–478
- as a mixed second-rank tensor, 358
- characteristic equation, 493
- column rank, 257, 476
- column space, 253
- complex numbers, 265
- conjugate of, 473
- consistent with vector norm, 448
- deformation, 270, 492, 728
- diagonalizability, 502
- domain of, 250
- dual of, 473
- general
 - diagonalization, 504, 507
- Hermitian, 485, 495
- image of the unit sphere, 499
- improper, 305
- inhomogeneous, 249
- inverse, 273
 - transpose of, 476
- isometric, 487
 - finite-dimensional, 489
 - infinite-dimensional, 489
- kernel, 271, 283
- Kronecker product, 362, 364
- matrix elements of, 250, 251, 358
- Moore-Penrose inverse, 512
- non-normal, 504
- nonsingular, 271–273, 275, 550
- norm, *see* norm, linear mapping
- normal, 502
 - spectral decomposition, 504
- null space, 283–285, 287, 511
 - basis, 511
 - linear differential operator, 286
 - linear functional, 334, 347
 - matrix, 511
- nullity, 284, 285
 - Δ^k , 294
 - matrix, 321
- orientation-preserving, 305
- orthogonal, 488, 689
- product, 249
 - adjoint, 485
- product of
 - rank, 260
 - transpose of, 474, 491
- proper, 305
- pseudoinverse, 512
- range, 252, 508, 511
 - basis, 258, 508, 511
 - basis of orthogonal complement, 509
 - isomorphic to complement of null space, 325
 - projector, 513
- range of, 250
- rank, 252, 283
 - column, 251
 - row, 476
- rank-deficient, 272
- restriction, 264
 - to a subspace, 496
- right inverses, 201, 327, 328
- rotation, 238, 270
 - proper, 148
- scalar multiple of, 197, 250
- scalar multiplication, 248
- secular equation, 493
- self-adjoint, 486, 709
- shear, 270, 492, 728
- singular, 281, 286
 - visualization of, 282
- spectral decomposition, 502, 504
- spectrum, 494
- sum of, 197, 249
 - transpose of, 474, 491
- transpose of, 473
 - as a dyadic sum, 474
 - range, 475
 - relation to adjoint, 483
- unitary, 488
 - adjoint, 489
 - eigenvalues, 504
- vector space of, 249
- visualization, 256
- linear transformation, *see* linear mapping
- linearity, 248, 332
- Liouville's formula, 228
- list, 60, 213
 - in computer hardware and software, 60
 - sublist, 213
 - subscripted form of, 60, 61
- loaf of bread, 540
- logic circuit, 54
- Lorentz group, *see* Lie groups, Lorentz
- Lorentz transformation, 271, 489, 656, 723, 728
 - 2-dimensional, 383

- as a unitary mapping on Minkowski space, 489
 - inhomogeneous, 249
 - matrix, 492
- LU decomposition, 307, 317, 323, 497, 529
- Lyapunov exponent, 25
- M* test, 576
- mantissa, 21
- Maple®, 61
- mapping
 - sampling, 267, 271, 583
- mappings, 53, 77
 - additive, 228
 - alias, 435
 - antilinear, 248
 - approximation, 267
 - ASCII, 17
 - baker's transformation, 47
 - bijective, 57, 59, 65, 67, 69
 - matrix representation, 59
 - codomain, 53, 54
 - compatible, 130
 - composite, 57–60, 67, 81, 466
 - continuous, 577
 - covariant to contravariant components, 460
 - discretization, 267
 - domain, 53
 - Fourier, 422
 - function to Fourier coefficients, 422
 - graph, 63
 - homogeneous, 228
 - identity, 58, 249, 616
 - image, 53
 - uniqueness, 55, 57
 - injective, 57, 72
 - inner-product, 455, 457, 459, 477
 - inverse, 459, 460, 464
 - interpolation, 267
 - inverse, 58–60, 62
 - inverse inner-product, 461
 - inversion of, 128
 - letters to digits, 54
 - many-to-one, 56
 - multilinear, 301
 - multivalued, 55
 - nonlinear, 249
 - one-to-many, 55
 - one-to-one, 56, 57, 72, 77, 79
 - power-set, 56, 57, 61, 67
 - preimage, 62, 134, 183
 - open set, 579
 - range, 53, 54, 58
 - sampling
 - Chebyshev, 401, 402
 - surjection, 56, 57
 - surjective, 56
 - unitary, 504
 - finite-dimensional, 489
 - X* into *Y* (Y^X), 73, 74
- matched filter, 682
- Mathematica®, 45, 61, 91
- matrices
 - addition, 197
 - compatible, 261
 - incompatible, 261
 - inner product of, 452
 - inverse of product of, 274
 - product of of, 125, 261, 262
 - similar, 276, 281
 - similarity of as an equivalence relation, 281
 - sum, 197
- matrix, 196, 248, 253
 - adjoint, 478
 - in $\mathbb{R}^{n_2 \times n_1}$ or $\mathbb{C}^{n_2 \times n_1}$, 479
 - as a list of column vectors, 252
 - block-diagonal, 496
 - Cholesky decomposition, 520, 521, 632
 - column diagonally dominant, 516
 - column-orthonormality, 490
 - column-partitioned, 253, 281
 - companion, 91, 309
 - defective, 495
 - diagonal, 493
 - diagonal dominance, 516
 - and non-singularity, 517
 - diagonalization, 493
 - dimensions, 254
 - Dirac, 364
 - echelon, 312
 - eigenvalues, 91
 - elements of, 197, 251, 254, 394
 - notation, 197
 - product matrix, 260
 - product of two linear mappings, 260
 - expansions in dyads, 469, 470
 - exponential of, 146
 - full rank, 272
 - fundamental subspaces, 511

- Gauss transformation, 233, 234, 314
- Gram, 372, 374, 381, 388, 455, 499, 631, 732
 - diagonalization of, 506
- Hermitian, 485, 492
 - diagonalization, 495, 498
- Hermitian adjoint, 479
 - $\mathbb{R}^{n_2 \times n_1}$ or $\mathbb{C}^{n_2 \times n_1}$, 479
- Hermitian adjoint of, 478
- Hilbert, 424
- identity, 124, 254, 273
- ill-conditioned, 321
- infinite-dimensional, 198
- inverse, 125, 178, 273
- Jacobian, 688
- LDL**[†] decomposition, 519
- left inverse, 274
- lower-triangular, 312, 314, 317
- nonsingular, 273, 274
- norm, *see* norm, matrix
- of eigenvectors, 498
- of the transpose of a linear mapping, 474
- orthogonal, 309, 684, 689
- orthogonal expansion, 383
- Pauli, 146, 221, 238, 382, 485, 490, 492, 505
- permutation, 277, 278, 281, 310, 314
- product
 - trace of, 299
 - transpose of, 261
- product of two linear mappings, 259
- pseudoinverse, 512
- range, 253, 258, 511
- rank, 321
 - inequality for, 256
- rank-1
 - as dyad, 467
- real orthogonal, 490
- real symmetric, 486, 500
- rotation, 492, 648
 - 3-dimensional, 280
- row diagonally dominant, 516
- row space, 475
- row-orthonormality, 490
- scalar multiple of, 197
- singular, 281, 287
- square, 254
- square root, 520
- strictly row diagonally dominant, 516
- SVD of, 509
- symmetric, 486, 495
- trace of, 299
 - invariance under cyclic permutations, 299
- transposed, 254, 475
 - inverse, 274
- tridiagonal, 495, 529
- 2×2 , 485, 490, 492, 506
- unit, *see* matrix, identity
- unitary, 309, 490, 492, 510, 630
- upper-triangular, 312, 317
- Maxwell's equations, 192
- mean, 37, 40, 41, 43
 - estimates of, 41
- memory
 - addressing, 8
 - byte, 8
 - word, 8
 - random-access, 7, 57, 61, 64, 65, 195
 - word, 7
- method of variation of parameters, 227
- metric, 206, 533
 - absolute-value, 533
 - axioms, 533
 - Fréchet, 536, 537
 - translation-invariant, 534, 594
 - trivial, 533, 543
- metric of the future, 379
- metric space, 206, 532, 533
 - complete, 206, 557, 594
 - incomplete, 594
 - inseparable, 549
 - point, 533
 - separable, 549, 550, 552, 597
- Minkowski space, 378, 379, 383, 388, 393, 459, 465, 488, 489, 497, 673, 678, 683, 730
- MIPS instruction set architecture, 11
- module over a ring, 207
- Monte Carlo integration, 100
- multilinearity, 301, 303, 305
- multiple root, *see* computation, root finding
- multiset, 62
- n -tuple, *see* set, ordered n -tuple
- NaN, *see* floating-point number, NaN
- natural embedding, 346
- Ne'eman, Yuval, 122
- negation, 50, 66
- Nievergelt, Y., 530
- normal modes, 222, 660, 711

- drumhead, 711
- norms, 570
 - absolute-value, 444
 - Chebyshev, 446, 537, 582
 - dyad, 473
 - equivalent, 569
 - homogeneity, 535–539
 - homogeneity of, 444
 - induced by a vector norm, 448
 - inequivalent, 601
 - ∞ norm, 444
 - inner-product, 375, 389, 443, 444, 454, 535
 - dyad, 473
 - integral, 453
 - linear functional, 449
 - linear mapping, 446, 447
 - axioms, 448
 - homogeneity, 448
 - induced by a vector norm, 448
 - positive-definiteness, 448
 - matrix, 443, 450, 451
 - Frobenius, 452, 454
 - maximum norm, 444, 446, 535
 - modulus, 444
 - 1 norm, 444
 - operator, 570
 - p norm, 450, 535
 - finite-dimensional, 445
 - positive-definiteness of, 444
 - supremum, 446, 453, 537
 - discrete, 536
 - triangle inequality for, 444
 - uniform, 537
 - vector, 443, 444, 448, 535
 - axioms, 444
 - table, 446
- null vector, *see* vector, zero
- number field, *see* field
- numbers, 2
 - complex, 63, 89, 185, 194, 216, 225
 - as two-dimensional vectors, 232
 - linear mapping of, 265
 - roots of unity, 139
 - integers, *see* integers
 - irrational, 186
 - natural, 56
 - powers of 2 and 16, table, 7
 - rational, 15, 66, 77, 78, 180, 181, 185, 206
 - real, 49, 53, 55, 56, 62, 78, 79, 82, 84, 185,
 - 194, 206
 - base- β floating-point representations of,
 - 16
 - fixed-point representations of, 14
 - representations of, 2
 - base- β , 4, 5, 8
 - binary representation, 5
 - floating-point, *see* floating-point representation
 - hexadecimal representation, 5
 - nybble, 7
 - octal representation, 5
 - positional notation, 4
 - radix, 3
 - numerical computation, *see* computation
 - Nyquist frequency, 432, 434–437
- Ω^- particle, 122
- operator, 155, 171, 570
 - annihilation, *see* annihilation operator
 - Bessel, 491, 704
 - bounded, 570
 - Chebyshev, 491
 - commutator, 269
 - creation, *see* creation operator
 - differential
 - formally self-adjoint, 486, 491, 492, 704
 - Green, 328
 - Hamiltonian, 265, 269, 299, 619, 627, 628,
 - 645, 663, 688
 - Helmholtz, 192, 515
 - raising and lowering, 701
 - Hermitian, 486
 - idempotent, 246
 - identity, 138
 - integral
 - kernel, 681
 - Laplacian, 515, 688, 702
 - lattice translation, 137
 - linear, 249, 266
 - lowering, 700
 - momentum, 205, 480, 671
 - adjoint, 481
 - number, 266
 - pointwise continuous, 578
 - position, 480
 - adjoint, 480
 - raising, 700
 - self-adjoint, 486
 - shift, 285, 286, 288, 293, 297, 298, 489

- adjoint, 480
- shift-invariant, 680
 - continuous, 680
- translation
 - discrete, 137
 - wave, 654, 661
- orbit, *see* G -set
- orbital angular momentum, 645
- orthogonal projection, 386
 - on a subspace, 406, 407, 416, 581
 - projector, 386, 407, 409, 468, 469, 502–504, 513, 514
 - matrix, 408, 415, 417
- orthogonality
 - and linear independence, 215, 380
 - and linear independence in computation, 381
 - Bessel functions, 708, 709
 - characters over classes, 636
 - characters over representations, 637
 - definition of, 379
 - eigenvectors belonging to different eigenvalues of a Hermitian matrix, 497
 - of a vector to a set of vectors, 379
 - of Bessel functions, 709
 - relations for irreducible characters, 635
 - relations for matrix elements of representations, 633
 - vectors, 379
- outer product of vectors, *see* vectors, outer product
- parallel projection, 222, 241
 - projector, 245
- parallelepiped
 - defined by a set of vectors, 437
 - rectangular, 437
 - symmetries of, 142
- parallelogram law, 391, 405, 535
- parametrization of a set, *see* set, index
- parity, 128, 129, 155, 539
 - even, 129
 - odd, 129
 - of a function, 129
- Parseval's equality, 601
- Pascal triangle, 81
- permutation symmetry
 - determinant, 302
 - energy eigenfunctions, 629
- permutations, 164–167, 169, 170
 - cyclic, 168–170
 - disjoint, 170
 - m -cycle, 169
 - 1-cycle, 169
 - three-cycle, 169
- disjoint cyclic, 169, 170
- even, 173
- even or odd, 170
- identity, 166
- inverse, 166
- odd, 173, 300
- product, 166
- sign, 172, 173
- transposition, 169, 172, 174
 - adjacent, 169, 174
- plan projection, 406
- Poisson sum formula, 679
- polarization identity, 392
- polynomials, 171
 - Bernoulli, 295
 - Chebyshev, 75, 210, 400, 402, 586–590
 - discrete orthogonality, 402
 - formula, 400
 - orthogonality, 401, 402
 - Lagrange, 352
 - Legendre, 210, 397, 403, 416, 568, 569, 686
 - recurrence relation, 611
 - orthogonal, 397, 399, 610
 - on a finite set, 400
 - parity, 400, 404
 - rational coefficients, 550
 - repeated root, 89
 - multiplicity, 89
- PostScript™, 279
 - current transformation matrix, 279
- PowerPC instruction set architecture, 11
- principal-axis theorem, 499–501
- principle of finite induction, *see* finite induction
- problem of moments, 307
- projection operator, *see* projector
- projector, 468, 469, 487, 502–504, 513
 - adjoint, 487
 - idempotent, 409, 416, 417
 - on orthogonal complement, 414
 - orthogonal, 466, 487, 513
 - transpose of, 487
- proof by induction, *see* finite induction
- pseudo-Euclidean space, *see* inner-product space, pseudo-Euclidean
- pseudo-unitary space, *see* inner-product space,

- pseudo-unitary
- Pythagorean theorem, 206, 367, 383–386, 390, 391, 394, 418, 443, 600
 - generalized, 385, 386, 393
- QR decomposition, 397
- quadratic form, 367
 - coefficient matrix, 501
 - Hermitian, 368
 - homogeneous, 499
 - positive-definite, 500
 - semidefinite, 500
 - signature, 500
 - symmetric, 368
- quadratic formula, 36, 91
- quantifier, 50
 - existential, 50
 - universal, 50
- quantum mechanics, 191
 - linearity of, 191
 - matrix mechanics, 232
 - wave function, 192, 200
 - wave mechanics, 232
- quantum system, 196
 - discrete, 196, 198, 222, 265, 370, 497
 - energy eigenstates, 222, 619
 - partition function of, 299
 - probability amplitude, 196, 371
 - probability of finding state \bar{x} given state \bar{y} , 371
 - state vector, 196, 198, 370
 - normalization, 196, 200, 371
 - two-level, 119
- quaternion, 221, 238
- quotient space, 239, 240
- Racah, Giulio, 121
- radix, *see* numbers, representations of
- rank-nullity theorem, 321, 327, 512, 551
- reciprocal basis, 341, 344, 460
- reciprocal lattice, 344, 459
- recurrence relation, 74, 75
 - Bessel functions, 698
 - initial conditions, 75
 - initial value, 75
 - Legendre polynomials, 398
 - three-term, 75, 398, 399
 - two-term, 75, 109
- recursion, 74, 75, 92, 93, 95
- reducible representation, 622, 629, 640
- relative complement, *see* set, relative complement
- resolution of the identity mapping, 471, 472
 - using biorthogonal bases, 472
 - using dyads, 472
- Riemann integral, 100, 199, 331
- Riemann-Lebesgue lemma, 602
- Riesz representation theorem, 456
- Riesz-Fischer theorem, 422
- ring, 175, 184
 - axioms, 175
 - characteristic, 179, 183
 - characteristic of, 206
 - commutative, 177, 178, 184
 - homomorphism, 181–184
 - kernel, 183, 184
 - ideal, 183
 - left, 183
 - right, 183
 - integers, 175, 178, 184, 207
 - modulo 2^m , 176, 178
 - modulo n , 176
 - isomorphism, 182
 - polynomials, 177, 184
 - real $m \times m$ matrices, 177
 - subring, 177, 182
 - unit element, 175, 177, 179, 181, 182, 184
- rotating rigid body, kinetic energy of, 374
- rotation, 728
- saltus, 607
- sampled values, 64, 196
 - cosine basis, 392
 - Fourier basis, 403, 426, 437
 - of a function, 100
 - vector of, 196, 198, 217, 267
- sampling, 100
 - frequency, 431, 432, 436
 - interval, 105, 198
 - points, 100, 102, 103, 105, 267, 288, 583
 - theorem, 436
 - uniform, 100, 103, 267, 271, 377, 403, 425, 430
- scalar, 194
- scalar product, *see* inner product
- scattering amplitude, 568
- Schrödinger equation, 119, 191
- Schur's lemma, 623, 625, 629, 634
 - matrix form, 627
- Schwarz inequality, 387

- selection rules, 153, 635
- sensitivity, *see* computation, condition number
- separation of variables, 686
- sequence, 56, 73, 74, 77–79
 - bounded, 557
 - Cauchy, 556, 594, 597
 - convergent, 206, 554
 - divergent, 554
 - finite, 197, 549
 - limit, 554
 - lower limit, 555
 - monotonic, 558
 - monotonically decreasing, 558
 - monotonically increasing, 558, 566
 - numerical, 559
 - operator, 571
 - sifting the terms, 553
 - subsequence, 553, 555
 - terms, 73
 - upper limit, 555
- sequence space, *see* vector space, sequence space
- series, 75, 561
 - alternating, 563
 - Bessel, 563
 - Cauchy's theorem, 564
 - Chebyshev, 612, 615
 - convergence, 561
 - comparison test, 561
 - convergent, 95, 561
 - cosine, 604, 614
 - divergent, 561
 - comparison test, 562
 - exponential, 98, 566, 577
 - Fourier, 420, 600, 603, 605, 610, 615, 650, 653, 660, 677, 690
 - cosine, 604, 614
 - fundamental frequency, 660
 - piecewise continuous function, 610
 - practical aspects, 603
 - sine, 604
 - Fourier-Bessel, 704, 709, 710
 - functional, 575
 - comparison test for uniform convergence, 576
 - geometric, 561–563
 - harmonic, 565
 - infinite, 561
 - interleaved, 563
 - Legendre, 611
 - numerical, 560
 - conditional convergence, 564
 - orthogonal, 599, 600
 - uniqueness, 602
 - partial sum, 75, 561
 - partial-wave, 568, 569
 - power, 577, 589, 591
 - Bessel functions, 713
 - economized, 591, 592
 - truncated, 591
 - radius of convergence, 715
 - ratio test, 563
 - rearrangement, 564
 - root test, 562
 - sequence of partial sums, 561, 601
 - sine, 97, 592, 604
 - sum of, 561
 - vector, 567
 - comparison test, 568
- set theory, 47
- sets, 47, 49
 - all sets, 52, 67
 - at most countable, 76
 - axiom of choice, 62, 76
 - axiom of extension, 51
 - axiom of specification, 49
 - boundary, 548
 - bounded, 557
 - bounded above, 83
 - Cantor, 48, 79, 85, 533, 552
 - Cartesian product, 63, 64, 80, 162
 - associative law, 63
 - closed, 544
 - intersection of, 545
 - union of, 546
 - closure of, 122, 175, 546
 - collection of, 52
 - compactness
 - countable, 555
 - sequential, 555
 - complement, *see* set, relative complement
 - complex numbers, *see* complex numbers, 63
 - consecutive integers, 50
 - countable, 76–79
 - countable intersection, 78
 - countable union, 78, 549
 - countably compact, 555
 - dense, 477, 548

- dense subset, 550
- denumerable, *see* set, countable
- element of, 47, 49
- empty, 51, 52
- equality, 51
- equivalent, 65, 67, 72, 79, 80
- everywhere dense, 548
 - nonsingular linear mappings, 550
 - uncountable, 549
- exterior, 548
- finite, 57, 72, 76
- greatest lower bound, 83
- inclusion, 51, 52
- inclusion of, 51
- incomparable, 51
- index, 69–71
- infimum, 83–85, 582
- infinite, 72, 76, 77
- integers, *see* integers, 52
- interior, 540
- interior point, 540
- intersection of, 69–71
- limit point, 544
- lower bound, 83
- mappings of X into Y (Y^X), 56, 73
- natural numbers, 52
- neighborhood, 539
- number of elements of, 49
- open, 539, 540
 - intersection of, 541
 - union of, 540
- order, 57
- order of, 49
- ordered, 83, 84
- ordered n -tuple, 63
- ordered pair, 62, 63, 77, 84
 - components, 63
- ordered triplet, 63
- partially ordered, 82, 83
- perfect, 552
- poset, 82
- positive integers, 52
- positive multiples of n , 72
- power set, 52, 56
- proper inclusion, 52
- proper subset, 52, 72, 76–78, 82
- rational numbers
 - see* numbers, rational, 66
- real numbers, *see* numbers, real
 - relative complement, 70, 71
 - sequentially compact, 555, 579, 580
 - singleton, 49
 - specification of, 49, 50
 - subset, 51, 70–72, 76, 82
 - bounded, 83
 - improper, 51
 - superset, 51
 - supremum, 83–85, 546
 - symmetric difference, 70
 - totally ordered, 83
 - uncountable, 76–79
 - union, 68, 71
 - associative law, 68
 - universe of elements, 49, 51
 - upper bound, 83
- sign bit, 13
- signal, 196, 198
 - discrete-time, 217
 - space, 427
- signed integer, *see* integers, representations of, signed
- significant digits, 4
- similarity transformation, 276, 281, 624
- simple harmonic motion, 191
- sine integral, 610
- singular value decomposition, 471, 507, 510, 689
 - left singular vectors, 509
 - matrix, 509
 - right singular vectors, 508
 - singular values, 509
- space-like vector, 379
- span of a set of vectors, 201, 214, 220, 234
 - dimension, 234
- special functions, 153, 201, 377, 397, 515, 686, 687
 - addition theorems, 687, 695
 - as matrix elements, 687
- specification, *see* set, specification of
- sphere
 - closed, 547
 - open, 539, 540
- spin angular momentum, 232, 645
- standard deviation, 37, 41, 44
 - estimates of, 41
 - mean, 40
 - product or quotient, 40
 - relative, 38

- sum or difference, 40
- Standard Model, 122
- Stirling numbers of the second kind, 529
- stride in memory, 262, 263
- Sturm-Liouville differential equations, 200, 201, 210, 218, 227, 238, 701
- Sturm-Liouville differential operator, 482
 - adjoint, 481, 482
 - solution space, 227
 - dimension, 228
- sum of sets, *see* sets, union
- summation convention, 224
- supermatrix, 644
- superposition principle, 193
- SVD, *see* singular value decomposition
- Sylvester's law of nullity, 287
- symmetry principles in physics, 192
- tangent space, 688
- tensor, 352, 353
 - antisymmetric, 362
 - second-rank, 354
 - components, 356
 - transformation of, 364
 - contravariant, 354
 - rank m , 361
 - second-rank, 354
 - covariant, 354
 - second-rank, 354
 - metric, 372, 373, 465, 535
 - 3-d Euclidean basis, 372
 - special relativity, 378
 - spherical polar coordinates, 373
 - mixed, 355
 - second-rank, 355
 - moment-of-inertia, 374, 500
 - outer product, 359, 362
 - rank m , 361
 - symmetric, 362
 - second-rank, 354
- tensor product space, 353, 358, 644
 - basis, 359
 - tensor power, 362
- Thomas algorithm, 529
- time inversion, 128
- transfer function, 627, 665, 666, 668, 682
 - continuous-time, 681
 - discrete-time, 665
 - ratio, 668
- transform space, 427, 677
- triangle inequality, 390, 536
 - metric, 533
 - norm of a linear mapping, 448
- two's complement, *see* integers, representations of, two's complement
- unsigned integers, 8
- variance, 37, 44
 - of estimated mean, 42
- vector addition, *see* vectors, addition
- vector complement, *see* vector space, subspaces, complementary
- vector field, 355
- vector isomorphism, *see* vector spaces, isomorphism of
- vector norms, *see* norm, vector
- vector spaces, 189, 191–195, 203, 248, 618
 - additive inverse in, 194
 - affine group of, 723, 726
 - algebraic dual, 333
 - attachment to an affine space, 204
 - automorphism, 232, 238, 275
 - Banach, *see* Banach space
 - basis, *see* basis
 - bounded sequences, 197
 - characterization, 231
 - codimension, 240
 - column vectors, 216, 244, 370, 595
 - complex, 194, 209
 - complex numbers, 194, 216, 244, 265, 369, 595
 - complexification of, 194
 - conjugate space, 333
 - continuous functions, 199, 227
 - continuously differentiable functions, 199, 209, 217
 - convergent sequences, 197, 210
 - differentiable functions, 217, 266
 - dimension, 223
 - direct sum, 163, 242, 264, 621, 641, 642
 - direct summands, 242
 - of linear mappings, 264
 - dual of, 207, 333, 456, 462
 - \mathbb{F}^{Z^+} , 349
 - complex numbers, 349
 - inner product, 462
 - Euclidean, 374, 390–392, 394, 410, 456, 459, 478, 551
 - \mathbb{E}^n , 370

- finite sequences, 210
- finite-dimensional, 223, 232
- finitely spanned, 214, 222
- Fréchet, *see* Fréchet space
- function, 618
- Hilbert, *see* Hilbert space
- infinite-dimensional
 - basis, 226
- intersection of, 208
- isomorphism to second dual, 345
- isomorphisms of, 228, 229, 231–233, 238, 249, 272, 617
 - composition of, 230
 - product, 230, 239
- ℓ^2 , 198, 226, 232, 265, 285, 376, 489, 492, 504, 505
 - linear mappings of, 265, 285, 286
- ℓ^p , 198, 226, 265, 285, 286, 537, 596
- \mathcal{L}^2 , 199, 205, 227, 232, 266, 354, 597, 605, 610, 611
- \mathcal{L}^p , 550
- matrix space, 197, 217, 245, 371, 595
- metric, 534
 - complete, 594
- normed, 444, 534, 535, 567
- not normable, 535
- null sequences, 197, 210
- over a finite field, 206
- parallel subsets, 203, 211
- proper subspace
 - characterization of, 201
 - dimension, 224
- \mathbb{R}^2 , 124, 195
- R -module, 207, 225
- rapidly decreasing functions, 538
- real, 194
 - complex extension of, 194, 356
- second dual, 334
- sequence space, 197, 217, 226, 376, 536, 596
 - all sequences, 197
- square-integrable functions, 199, 232
- subspaces, 200, 201, 239
 - basis, 201, 202
 - characterization of, 201, 413
 - complementary, 239–243, 410, 411
 - generators of, 201
 - invariant, 263, 494, 503, 622
 - orthogonal complement, 202, 409, 410, 412, 413, 417, 464, 495
 - proper, 201
 - supplement, 241
- topological dual of, 334
- union of, 208
- unitary, 374, 391, 392, 394, 410, 456, 459, 463, 478, 495, 551
- unitary n -space, 370, 631
- vectors, 193
 - addition, 193
 - bra, 207, 458, 467
 - column, 124, 195, 216, 226
 - components
 - contravariant, 222, 251
 - contravariant, transformation under a basis change, 389
 - covariant, mapping to contravariant, 461
 - relation between covariant and contravariant components, 388
 - transformation of covariant components under a change of basis, 389
 - coordinate expansion, 222
 - covariant components, 387
 - cross product, 219, 269
 - as matrix product, 269
 - relations, 219
 - displacement, 195, 203
 - ket, 458, 467
 - length, 443
 - light-like, 379
 - linear combination
 - finite, 205
 - infinite, 205
 - linearly dependent set, 212, 218, 224, 233
 - in 3-dimensional space, 219
 - over \mathbb{Z}_2 , 220
 - linearly independent set, 212, 213, 215, 216, 233, 239
 - extension to a basis, 224
 - mutually orthogonal, 380, 385
 - notation, 207
 - orthogonal, 379
 - orthogonal expansion, 381, 411
 - outer product, 466
 - perpendicular, 379
 - real
 - two-dimensional, 124
 - reflection in a line, 387
 - scalar multiplication, 194

- storage in memory, 195
- unit, 386
- zero, 124, 194, 201, 205, 209
- Venn diagram, 69, 70
- vibrations of a drumhead, 711
- volume
 - as a determinant, 438
 - expansion factor, 441
 - m -dimensional, 437
 - m -parallelepiped, 438
- von Laue conditions, 343, 344
- wave
 - localized, 546
 - phase velocity, 653, 656
 - plane, 672, 678, 688, 690
 - Fourier expansion, 690
 - Fourier series, 692
 - square, 606
- wave equation, 653, 674, 711
 - canonical form, 657
 - canonical variables, 657
 - d'Alembert's solution, 657
 - domain of dependence, 659
 - form invariance of, 653
 - under Lorentz transformations, 656
 - under translations, 656
 - inhomogeneous, 266
 - one-dimensional, 653, 661
 - one-way, 657
 - vibrating string, 653
- Weierstraß, Karl, 577
- well-ordering principle, 74, 77, 598
- Wigner, Eugene P., 121
- word, computer, 195
- Wronskian, 217, 218, 227
 - of n functions, 218
- x^n in terms of Chebyshev polynomials, 401
- zeta function, 565
- Zorn's lemma, 84, 223