

CS 6371: Advanced Programming Languages

Dr. Kevin Hamlen

Spring 2014

- Fill out, sign, and return prereq forms:
 - Course number: CS 6371
 - Section: 1
 - Prerequisites:
 - CS 5343: Algorithm Analysis & Data Structures
 - CS 5349: Automata Theory

Today's Agenda

- Course overview and logistics
- Course philosophy and motivation
 - What is an “advanced” programming language?
 - Type-safe vs. Unsafe languages
 - Functional vs. Imperative programming
- Introduction to OCaml
 - The OCaml interpreter and compiler
 - An OCaml demo

Course Overview

- How to design a new programming language
 - specifying language formal semantics
 - bad language design and the “software crisis”
 - “new” programming paradigms: functional & logic
 - how to formally prove program correctness
- Related courses
 - CS 4337: Organization of Programming Languages
 - CS 5349: Automata Theory
 - CS 6353: Compiler Construction
 - CS 6367: Software Verification & Testing

Course Logistics

- Class Resources:
 - Course homepage: www.utdallas.edu/~hamlen/cs6371sp14.html
 - My homepage: www.utdallas.edu/~hamlen
 - Tentative office hours: 1 hr immediately after each class(?)
 - Email: hamlen AT utdallas DOT edu
- Grading
 - Homework: 25%
 - In-class quizzes: 15%
 - Midterm exam: 25%
 - Final exam: 35%
- Homework
 - 9 assignments: 6 programming + 3 written
 - Homework must be turned in by **1:05pm** on the due date. Programming assignments submitted through eLearning; written assignments submitted in hardcopy at start of class.
 - Late homeworks NOT accepted!
- Attendance of at least 2 of first 3 classes is MANDATORY.

Homework Policy

- Students **MAY** work together with other current students on homeworks
- **You MAY NOT consult homework solution sets from prior semesters (or collaborate with students who are consulting them).**
- **CITE ALL SOURCES**
 - includes webpages, books, other people, etc.
 - citation is required even if you don't copy the source word-for-word
 - there is nothing wrong with using someone else's ideas as long as you cite it
 - you will not lose any marks or credit as long as you cite
- Violating the above policies is **PLAGIARISM** (cheating).
- Cheating will typically result in automatic failure of this course and possible expulsion from the CS program.
- It is much better to leave a problem blank than to cheat!
 - Usually ~60% is a B and ~80% is an A.
 - However, cheating earns you an F. It's not worth it!

Quizzes

- in-class on specified homework due dates
- about 15-20 min. each
- approximately 1 quiz per unit, so about 8 total
 - lowest one dropped, so you can miss one without penalty
 - other misses only permitted in accordance with university policy (e.g., illness with doctor's note, etc.)
- closed-book, closed-notes
- think of them as extensions to the homework
 - length/difficulty similar to 1 or 2 homework problems
 - to prepare, be sure you can solve most recent homework without group help

Difficulty Level

- Warning: This is a tough course
 - cutting-edge, PhD-level material
 - difficulty ranked 9/9 on average by past students
- No required text book
 - very few (approachable) texts cover this advanced material
 - no large pools of sample problems exist to my knowledge
 - useful texts:
 - book by Glynn Winskel on reserve in UTD library
 - online text and several online manuals linked from webpage
 - Warning: Many online web resources devoted to this material are INCORRECT (e.g., certain Wikipedia pages). Do not depend on them.
- What you'll get out of taking this course
 - excellent preparation for PhD APL qualifier exam
 - solid understanding of language design & semantics
 - modern issues in declarative vs. imperative languages
 - deep connections between abstract logic and programming

About me...

- Ph.D. from Cornell University (2006)
 - B.S. in CS & Math from Carnegie Mellon
- Research: Computer Security, PL, Compilers
- Work experience: Microsoft Research
- Personal
 - married, one child (a boy, 1 year old)
 - Christian
- Programming habits
 - C/C++ (for low-level work)
 - assembly (malware reverse-engineering)
 - C#, Java (toy programs)
 - Prolog (search-based programs)
 - OCaml, F#, Haskell, Gallina/Coq (everything else)

Course Plan

- Running case-study: We will design and implement a new programming language
- Code an interpreter in OCaml
 - OCaml (“Objective Categorical Abstract Meta-Language”) is an open-source variant of ML
 - Microsoft F# is OCaml for .NET (but not fully compatible with OCaml, so don’t use it for homework)
 - Warning: OCaml has a STEEP learning curve!
 - Pre-homework: Install OCaml
 - Go to the course website and follow the instructions entitled “To Prepare for the Course...” by next time

What is an “Advanced”
Programming Language?

C/C++: Unsafe Languages

- Find the bug:

```
#include <stdio.h>

int main()
{
    char name[1024];
    printf("Enter your name: ");
    gets(name);
    printf("Your name is: %s\n", name);
    return 0;
}
```

C/C++: Unsafe Languages

- Find the bug:



```
#include <stdio.h>

int main()
{
    char name[1024];
    printf("Enter your name: ");
    gets(name);
    printf("Your name is: %s\n", name);
    return 0;
}
```

- C/C++ lets you write programs that **seg fault**
- Some language features *cannot* be used safely!
- Most of the software crashes you experience are a direct result of the unsafe design of C/C++

Java: A Type-safe, Imperative Language

- Find two bugs:

```
import java.io.*;
import java.util.*;

class Summation {
    public static void main(String[] args) {
        List list = new LinkedList();

        for (int i=0; i<args.length; ++i)
            list.add(args[i]);

        int sum = 0;
        while (!list.isEmpty())
            sum += ((Integer)list.remove(1)).intValue();

        System.out.println(sum);
    }
}
```

Java: A Type-safe, Imperative Language

- Find two bugs:

```
import java.io.*;
import java.util.*;

class Summation {
    public static void main(String[] args) {
        List list = new LinkedList();

        for (int i=0; i<args.length; ++i)
            list.add(args[i]);

        int sum = 0;
        while (!list.isEmpty())
            sum += (Integer)list.remove(1)).intValue();

        System.out.println(sum);
    }
}
```

**Cast
Exception!**

**OutOfBounds
Exception!**

Problems with Java

- Every Java cast operation is a potential crash
 - In Java, a “crash” is an uncaught exception instead of a seg fault
- Some typecasting issues can be solved with Generics, but not all (e.g., list emptiness check)
- Problem: Java relies on programmer-supplied typing annotations

Goals of Functional Languages

- In an “Advanced” Programming Language:
 - The compiler should tell you about typing errors in advance (not at runtime!)
 - The language structure should make it difficult to write programs that might crash (no unsafe casts!)
 - 80% of your time should be spent getting the program to compile, and only 20% on debugging
 - should be tractable to create a formal, machine-checkable proof of correctness for mission-critical core routines, or even full production-level apps

In OCaml...

- You almost never need to cast anything
 - The compiler figures out all the types for you
 - If there's a type-mismatch, the compiler warns you
- OCaml is fast
 - Somewhere between C (fastest) and Java (slow)
 - Very hard to measure precisely. (So-called “benchmark” programs typically rely on math libraries that aren't even implemented in the languages that call them!)
- Functions are “first-class”:
 - you can pass them around as values, assign them to variables, ...
 - you can build them at runtime (Runtime Code Generation)
- But: The syntax is very weird if you've only ever programmed in imperative languages!

OCaml: Getting Started

- OCaml programs are text files (*.ml)
 - Write them using any text editor (e.g., Notepad)
 - Unix: Emacs has syntax highlighting for ML/OCaml
 - Windows: I use Vim (www.vim.org)
- Installing OCaml (see course website)
 - Unix: pre-installed on cs1.utdallas.edu
 - Windows: Self-installers for native x86 and for Cygwin
- Two ways to use OCaml:
 - The OCaml compiler: `ocamlc` (compile *.ml to binary)
 - OCaml in interactive mode (use OCaml like a calculator)
 - Demo...