

Decision Trees

Nicholas Ruozzi

University of Texas at Dallas

Supervised Learning

- **Input: labelled training data**
 - i.e., data plus desired output
- **Assumption: there exists a function f that maps data items x to their correct labels**
- **Goal: construct an approximation to f**

Today

- We've been focusing on linear separators
 - Relatively easy to learn (using standard techniques)
 - Easy to picture, but not clear if data will be separable
- Next two lectures we'll focus on other hypothesis spaces
 - Decision trees
 - Nearest neighbor classification

Application: Medical Diagnosis

- **Suppose that you go to your doctor with flu-like symptoms**
 - **How does your doctor determine if you have a flu that requires medical attention?**

Application: Medical Diagnosis

- Suppose that you go to your doctor with flu-like symptoms
 - How does your doctor determine if you have a flu that requires medical attention?
 - Check a list of symptoms:
 - Do you have a fever over 100.4 degrees Fahrenheit?
 - Do you have a sore throat or a stuffy nose?
 - Do you have a dry cough?


Application: Medical Diagnosis

- Just having some symptoms is not enough, you should also not have symptoms that are not consistent with the flu
- For example,
 - If you have a fever over 100.4 degrees Fahrenheit?
 - And you have a sore throat or a stuffy nose?
- You probably do not have the flu (most likely just a cold)

Application: Medical Diagnosis


- In other words, you doctor will perform a series of tests and ask a series of questions in order to determine the likelihood of you having a severe case of the flu
- This is a method of coming to a diagnosis (i.e., a classification of your condition)
- We can view this decision making process as a tree

Decision Trees




- A tree in which each internal (non-leaf) node tests the value of a particular feature
- Each leaf node specifies a class label (in this case whether or not you should play tennis)

Decision Trees



- **Features: (Outlook, Humidity, Wind)**
- **Classification is performed root to leaf**
 - The feature vector (Sunny, Normal, Strong) would be classified as a yes instance



Decision Trees



- Can have continuous features too
 - Internal nodes for continuous features correspond to thresholds



Decision Trees

- Decision trees divide the feature space into axis parallel rectangles





Decision Trees

- Decision trees divide the feature space into axis parallel rectangles





Decision Trees

- Decision trees divide the feature space into axis parallel rectangles





Decision Trees

- Decision trees divide the feature space into axis parallel rectangles




Decision Trees

- Decision trees divide the feature space into axis parallel rectangles



Decision Trees

- Worst case decision tree may require exponentially many nodes



Decision Tree Learning

- **Basic decision tree building algorithm:**
 - **Pick some feature/attribute**
 - **Partition the data based on the value of this attribute**
 - **Recurse over each new partition**

Decision Tree Learning

- Basic decision tree building algorithm:
 - Pick some feature/attribute (how to pick the “best”?)
 - Partition the data based on the value of this attribute
 - Recurse over each new partition (when to stop?)

We'll focus on the discrete case first (i.e., each feature takes a value in some finite set)

Decision Trees

- What functions can be represented by decision trees?
- Are decision trees unique?

Decision Trees

- What functions can be represented by decision trees?
 - Every function can be represented by a sufficiently complicated decision tree
- Are decision trees unique?
 - No, many different decision trees are possible


Choosing the Best Attribute

- **Because the complexity of storage and classification increases with the size of the tree, should prefer smaller trees**
 - **Simplest models that explain the data are usually preferred over more complicated ones**
 - **This is an NP-hard problem**
 - **Instead, use a greedy heuristic based approach to pick the best attribute at each stage**

Choosing the Best Attribute

$$x_1, x_2 \in \{0,1\}$$

Which attribute should you split on?




x_1	x_2	y
1	1	+
1	0	+
1	1	+
1	0	+
0	1	+
0	0	-
0	1	-
0	0	-

Choosing the Best Attribute

$$x_1, x_2 \in \{0,1\}$$

Which attribute should you split on?



x_1	x_2	y
1	1	+
1	0	+
1	1	+
1	0	+
0	1	+
0	0	-
0	1	-
0	0	-

Can think of these counts as probability distributions over the labels: if $x = 1$, the probability that $y = +$ is equal to 1

Choosing the Best Attribute

- The selected attribute is a good split if we are more “certain” about the classification after the split
 - If each partition with respect to the chosen attribute has a distinct class label, we are completely certain about the classification after partitioning
 - If the class labels are evenly divided between the partitions, the split isn’t very good (we are very uncertain about the label for each partition)
 - What about other situations? How do you measure the uncertainty of a random process?

Discrete Probability

- **Sample space** specifies the set of possible outcomes
 - For example, $\Omega = \{H, T\}$ would be the set of possible outcomes of a coin flip
- Each element $\omega \in \Omega$ is associated with a number $p(\omega) \in [0,1]$ called a **probability**

$$\sum_{\omega \in \Omega} p(\omega) = 1$$

- For example, a biased coin might have $p(H) = .6$ and $p(T) = .4$

Discrete Probability

- An **event** is a subset of the sample space
 - Let $\Omega = \{1, 2, 3, 4, 5, 6\}$ be the 6 possible outcomes of a dice roll
 - $A = \{1, 5, 6\} \subseteq \Omega$ would be the event that the dice roll comes up as a one, five, or six
- The probability of an event is just the sum of all of the outcomes that it contains
 - $p(A) = p(1) + p(5) + p(6)$


Independence

- Two events A and B are **independent** if

$$p(A \cap B) = p(A)p(B)$$

Let's suppose that we have a fair die: $p(1) = \dots = p(6) = 1/6$

If $A = \{1, 2, 5\}$ and $B = \{3, 4, 6\}$ are A and B independent?




Independence

- Two events A and B are **independent** if

$$p(A \cap B) = p(A)p(B)$$

Let's suppose that we have a fair die: $p(1) = \dots = p(6) = 1/6$

If $A = \{1, 2, 5\}$ and $B = \{3, 4, 6\}$ are A and B independent?




No!

$$p(A \cap B) = 0 \neq \frac{1}{4}$$


Independence

- Now, suppose that $\Omega = \{(1,1), (1,2), \dots, (6,6)\}$ is the set of all possible rolls of two **unbiased** dice
- Let $A = \{(1,1), (1,2), (1,3), \dots, (1,6)\}$ be the event that the first die is a one and let $B = \{(1,6), (2,6), \dots, (6,6)\}$ be the event that the second die is a six
- Are A and B independent?



Independence

- Now, suppose that $\Omega = \{(1,1), (1,2), \dots, (6,6)\}$ is the set of all possible rolls of two **unbiased** dice
- Let $A = \{(1,1), (1,2), (1,3), \dots, (1,6)\}$ be the event that the first die is a one and let $B = \{(1,6), (2,6), \dots, (6,6)\}$ be the event that the second die is a six
- Are A and B independent?



Yes!

$$p(A \cap B) = \frac{1}{36} = \frac{1}{6} * \frac{1}{6}$$

Conditional Probability

- The **conditional probability** of an event A given an event B with $p(B) > 0$ is defined to be

$$p(A|B) = \frac{p(A \cap B)}{P(B)}$$

- This is the probability of the event $A \cap B$ over the sample space $\Omega' = B$
- Some properties:
 - $\sum_{\omega \in \Omega} p(\omega|B) = 1$
 - If A and B are independent, then $p(A|B) = p(A)$

Discrete Random Variables

- A discrete **random variable**, X , is a function from the state space Ω into a discrete space D

- For each $x \in D$,

$$p(X = x) \equiv p(\{\omega \in \Omega : X(\omega) = x\})$$

is the probability that X takes the **value** x

- $p(X)$ defines a probability distribution

- $\sum_{x \in D} p(X = x) = 1$

- Random variables partition the state space into disjoint events

Example: Pair of Dice

- Let Ω be the set of all possible outcomes of rolling a pair of dice
- Let p be the uniform probability distribution over all possible outcomes in Ω
- Let $X(\omega)$ be equal to the sum of the value showing on the pair of dice in the outcome ω
 - $p(X = 2) = ?$
 - $p(X = 8) = ?$

Example: Pair of Dice

- Let Ω be the set of all possible outcomes of rolling a pair of dice
- Let p be the uniform probability distribution over all possible outcomes in Ω
- Let $X(\omega)$ be equal to the sum of the value showing on the pair of dice in the outcome ω

$$- p(X = 2) = \frac{1}{36}$$

$$- p(X = 8) = ?$$

Example: Pair of Dice

- Let Ω be the set of all possible outcomes of rolling a pair of dice
- Let p be the uniform probability distribution over all possible outcomes in Ω
- Let $X(\omega)$ be equal to the sum of the value showing on the pair of dice in the outcome ω

$$- p(X = 2) = \frac{1}{36}$$

$$- p(X = 8) = \frac{5}{36}$$

Discrete Random Variables

- We can have vectors of random variables as well

$$X(\omega) = [X_1(\omega), \dots, X_n(\omega)]$$

- The **joint distribution** is $p(X_1 = x_1, \dots, X_n = x_n)$ is

$$p(X_1 = x_1 \cap \dots \cap X_n = x_n)$$

typically written as

$$p(x_1, \dots, x_n)$$

- Because $X_i = x_i$ is an event, all of the same rules from basic probability apply


Entropy

- A standard way to measure uncertainty of a random variable is to use the **entropy**

$$H(Y) = - \sum_{Y=y} p(Y = y) \log p(Y = y)$$

- You showed (I hope) on the homework that entropy is maximized for uniform distributions
- Entropy is minimized for distributions that place all their probability on a single outcome

Entropy of a Coin Flip



Conditional Entropy

- We can also compute the entropy of a random variable conditioned on a different random variable

$$H(Y|X) = - \sum_x p(X = x) \sum_y p(Y = y|X = x) \log p(Y = y|X = x)$$

- This is called the **conditional entropy**
- This is the amount of information needed to quantify the random variable Y given the random variable X

Information Gain

- Using entropy to measure uncertainty, we can greedily select an attribute that guarantees the largest expected decrease in entropy (with respect to the empirical partitions)

$$IG(X) = H(Y) - H(Y|X)$$

- Called information gain
- Larger information gain corresponds to less uncertainty about Y given X
 - Note that $H(Y|X) \leq H(Y)$


Decision Tree Learning

- **Basic decision tree building algorithm:**
 - **Pick the feature/attribute with the highest information gain**
 - **Partition the data based on the value of this attribute**
 - **Recurse over each new partition**

Choosing the Best Attribute

$$x_1, x_2 \in \{0,1\}$$

Which attribute should you split on?




x_1	x_2	y
1	1	+
1	0	+
1	1	+
1	0	+
0	1	+
0	0	-
0	1	-
0	0	-

What is the information gain in each case?

Choosing the Best Attribute

$$x_1, x_2 \in \{0,1\}$$

Which attribute should you split on?



x_1	x_2	y
1	1	+
1	0	+
1	1	+
1	0	+
0	1	+
0	0	-
0	1	-
0	0	-

$$H(Y) = -\frac{5}{8} \log \frac{5}{8} - \frac{3}{8} \log \frac{3}{8}$$

$$H(Y|X_1) = .5[-0 \log 0 - 1 \log 1] + .5[-.75 \log .75 - .25 \log .25]$$

$$H(Y|X_2) = .5[-.5 \log .5 - .5 \log .5] + .5[-.75 \log .75 - .25 \log .25]$$

$$H(Y) - H(Y|X_1) - H(Y) + H(Y|X_2) = -\log .5 > 0$$

Should split on x_1

When to Stop

- If the current set is “pure” (i.e., has a single label in the output), stop
- If you run out of attributes to recurse on, even if the current data set isn't pure, stop and use a majority vote
- If a partition contains no data items, nothing to recurse on

Decision Trees

- Because of speed/ease of implementation, decision trees are quite popular
 - Can be used for regression too!
- Decision trees will **always** overfit!
 - It is always possible to obtain zero training error on the input data with a deep enough tree (if there is no noise in the labels)
 - Solution?